Gastroenterology Specialties, PC UPPER ENDOSCOPY DIRECTIONS 4 HR HRNICEK

Admit time: Please check in 45 minutes before your procedure time.

General instructions:

- 1. You will be contacted the week prior to the procedure to review your medical history and instructions, unless you have been seen in the office within 30 days.
- 2. Have a list of your medications available when the nurse calls. Medication instructions will be given to you at that time.
 - -- Blood thinning medications such as Warfarin (Coumadin), Plavix, Pletal, Heparin, Aggrenox or Effient MAY need to be held for 5 days prior to the procedure.
 - -- Aspirin MAY need to be held or the dose reduced prior to the procedure.
 - -- Arthritis medications such as Celebrex, Ibuprofen (Advil, Motrin, Nuprin) or Naproxen (Aleve) may need to be held prior to the procedure.
- 3. Do not stop any medications prior to your procedure unless you have been instructed to do so.

THE DAY PRIOR TO YOUR PROCEDURE:

1. You may eat and drink the day prior until midnight. **NO** solid food after midnight.

THE DAY OF YOUR PROCEDURE:

- 1. You may have **CLEAR LIQUIDS ONLY** until 4 hours prior to your procedure, and then stop drinking.
 - *Clear liquids include water, broth, clear juices without pulp, black coffee, tea, sports drinks, flavored waters, Kool-Aid, soda and Jell-O (no fruit or toppings). Drink as much as possible throughout the day. Nothing red, blue or purple colored. **NO** SOLID FOODS, MILK OR DAIRY PRODUCTS.
- 2. Take only the medications you have been instructed to take prior to your procedure.
- 3. If you are diabetic, check your blood sugar before you come and bring the result with you.
- 4. You **MUST** bring a responsible adult to drive you home after your procedure. No public transportation.
- 5. Please review your post-procedure instructions before resuming any medications.